



Cif Professional Wood Polish

Revision: 2020-02-16

Version: 09.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cif Professional Wood Polish

Cif is a registered trade mark and is used under licence of Unilever

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

AISE-P601 - Furniture care product. Manual process

AISE-P602 - Furniture care product. Spray and wipe manual process

AISE-C20 - Furniture floor & leather care (spray, liquid) for consumer use

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Aquatic Chronic 3 (H412)

2.2 Label elements

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone), 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone)

Hazard statements:

EUH208 - May produce an allergic reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P102 - Keep out of reach of children.

P501 - Dispose of unused content as chemical waste.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	923-037-2	-	01-2119471991-29	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) EUH066 Aquatic Chronic 2 (H411)		3-10
polydimethylsiloxane	[4]	63148-62-9	[4]	Not classified as hazardous		3-10
white mineral oil (petroleum)	232-455-8	8042-47-5	01-2119487078-27	Asp. Tox. 1 (H304)		3-10
Alcohols, C12-14, ethoxylated	500-213-3	68439-50-9	01-2119487984-16	Eye Dam. 1 (H318)		0.1-1

Cif Professional Wood Polish

				Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)		
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.01-0.1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.
Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.
Skin contact: No known effects or symptoms in normal use.
Eye contact: No known effects or symptoms in normal use.
Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Cif Professional Wood Polish

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Wash hands thoroughly after handling. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	25
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	2080
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	1250
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	294
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	25	87
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-

Cif Professional Wood Polish

polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	0.074	0.007	0.004	10000
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	-	-	-	-
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	66.67	6.66	1	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical State: Liquid	
Colour: Milky, White	
Odour: Slightly perfumed	
Odour threshold: Not applicable	
pH ≈ 5 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	140-200		
polydimethylsiloxane	> 100	Method not given	
white mineral oil (petroleum)	> 315	Method not given	
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Flammability (liquid): Not flammable.
Flash point (°C): > 93 °C
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not relevant for classification of this product.
Flammability (solid, gas): Not applicable to liquids
Upper/lower flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	0.6	7

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	200	Non guideline test	
polydimethylsiloxane	No data available		
white mineral oil (petroleum)	< 1.3	Method not given	37.8
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Vapour density: Not determined
Relative density: ≈ 0.95 (20 °C)
Solubility in / Miscibility with Water: Fully miscible

Method / remark

Not relevant to classification of this product
 OECD 109 (EU A.3)

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	Insoluble		
polydimethylsiloxane	No data available		
white mineral oil (petroleum)	Insoluble	Method not given	
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: < > 20.5 mm²/s (40 °C)
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

Method / remark

DM-006 Viscosity - Standard

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

OECD 115
 Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)	

Cif Professional Wood Polish

				Read across	
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1)	
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat		

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	LD ₅₀	> 5000	Rabbit	OECD 402 (EU B.3) Read across	
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated	LD ₅₀	> 3000		Method not given	
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	LC ₅₀	> 5000	Rat	OECD 403 (EU B.2) Read across	8
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated	LC ₅₀	> 1600 (vapour) No mortality observed		Method not given	
1,2-benzisothiazol-3(2H)-one		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	Not irritant	Rabbit	OECD 404 (EU B.4) Read across	
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
Alcohols, C12-14, ethoxylated	Not irritant			
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	Not corrosive or irritant		OECD 405 (EU B.5) Read across	
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
Alcohols, C12-14, ethoxylated	Severe damage		Weight of evidence	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available			
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	Not sensitising		OECD 406 (EU B.6) / Buehler test OECD 406 (EU B.6) / GPMT	
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
Alcohols, C12-14, ethoxylated	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available			
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			

Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Mutagenicity**

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available		No data available	
polydimethylsiloxane	No data available		No data available	
white mineral oil (petroleum)	No data available		No data available	
Alcohols, C12-14, ethoxylated	No data available		No data available	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
hydrocarbons, C10-C12, isoalkanes, <2% aromatics			No data available				
polydimethylsiloxane			No data available				
white mineral oil (petroleum)			No data available				
Alcohols, C12-14, ethoxylated			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				

Repeated dose toxicity**Sub-acute or sub-chronic oral toxicity**

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available		Read across		No adverse effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available				
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available		Read across		No adverse effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
---------------	----------------	----------	--------------------	---------	--------	---------------	--------------------------------------	--------

Cif Professional Wood Polish

hydrocarbons, C10-C12, isoalkanes, <2% aromatics			No data available				
polydimethylsiloxane			No data available				
white mineral oil (petroleum)			No data available				
Alcohols, C12-14, ethoxylated			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				

STOT-single exposure

Ingredient(s)	Affected organ(s)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	Not applicable
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	Not applicable
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available			
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	LC ₅₀	2.18	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available			
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC ₅₀	2.94	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available			
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated		No data			

		available			
1,2-benzisothiazol-3(2H)-one	E r C 50	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available			
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available			
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available				
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available				
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
hydrocarbons, C10-C12, isoalkanes, <2% aromatics		No data available				
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Cif Professional Wood Polish

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
hydrocarbons, C10-C12, isoalkanes, <2% aromatics					Inherently biodegradable.
polydimethylsiloxane					Not readily biodegradable.
white mineral oil (petroleum)				OECD 301F	Not readily biodegradable.
Alcohols, C12-14, ethoxylated	Activated sludge, aerobe	Oxygen depletion	95 % in 28 day(s)	OECD 301F	Readily biodegradable
1,2-benzisothiazol-3(2H)-one				Weight of evidence	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available			
polydimethylsiloxane	No data available		No bioaccumulation expected	
white mineral oil (petroleum)	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available				
polydimethylsiloxane	No data available			No bioaccumulation expected	
white mineral oil (petroleum)	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
hydrocarbons, C10-C12, isoalkanes, <2% aromatics	No data available				
polydimethylsiloxane	No data available				
white mineral oil (petroleum)	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.5 Other adverse effects**12.6 Other adverse effects**

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:****European Waste Catalogue:****Empty packaging Recommendation:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 29* - detergents containing dangerous substances.

Dispose of observing national or local regulations.

Cif Professional Wood Polish

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers. Non-dangerous goods

Other relevant information:

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: UPD6-Y0RN-C002-CAW2

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7123

Version: 09.0

Revision: 2020-02-16

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 6, 7, 8, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H226 - Flammable liquid and vapour.
- H290 - May be corrosive to metals.
- H301 - Toxic if swallowed.
- H302 - Harmful if swallowed.
- H304 - May be fatal if swallowed and enters airways.
- H311 - Toxic in contact with skin.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H320 - Causes eye irritation.
- H330 - Fatal if inhaled.
- H331 - Toxic if inhaled.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.
- EUH066 - Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

- AISE - The International Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

Cif Professional Wood Polish

- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet